Amendments to the Claims

Please amend claims 1, 7-9, 11, and 12 as shown below.

- 1. (Currently amended) An isolated polynucleotide encoding a root growth regulating polypeptide, wherein the polypeptide comprising an comprises the amino acid sequence set forth in SEQ ID NO: 2 or an the amino acid sequence with at least 90% sequence homology to SEQ ID NO: 2.
- 2. (Original) The polynucleotide of claim 1, having the nucleic acid sequence set forth in SEQ ID NO: 1.
- 3. (Original) The polynucleotide of claim 1, having a root-specific expression pattern.
- 4. (Original) A recombinant vector comprising the polynucleotide of claim 1.
- 5. (Original) A cell comprising the polynucleotide of claim 1.
- 6. (Original) A plant comprising the polynucleotide of claim 1.
- 7. (Currently amended) A plant tissue or seed derived from the plant of claim 6 comprising the polynucleotide of claim 1.

- 8. (Currently amended) A method for enhancing root growth of a plant, comprising the step steps of:
 - i) introducing the polynucleotide of claim 1 into the a plant cell to obtain a transformed plant cell, wherein the polynucleotide is operably linked to an expression control sequence;
 ii) producing a plant from said transformed plant cell; and
 iii) selecting a plant exhibiting rapid root growth compared to a plant which was not introduced with the polynucleotide under neutral and acidic conditions.
- 9. (Currently amended) The method of claim 8, wherein the plant cell is selected from the group consisting of protoplasts, gamete producing cells and cells with which regenerate into a whole plant.
- 10. (Original) The method of claim 8, wherein the plant cell is monocotyledon or dicotyledon.
- 11. (Currently amended) A method for enhancing resistance in a plant to obstacle-touching stress, comprising the <u>steps</u> of:
 - i) introducing a the polynucleotide of claim 1 into the a plant cell to obtain a transformed plant cell, wherein the polynucleotide is operably linked to an expression control sequence; ii) producing a plant from said transformed plant cell; and iii) selecting a plant exhibiting rapid root growth compared to a plant which was not introduced with the polynucleotide under obstacle-touching stress, wherein the plant exhibiting rapid root growth indicates that the plant has enhanced resistance to obstacle-touching stress.

- 12. (Currently amended) The method according to claim 11, wherein the plant cell is selected from the group consisting of protoplasts, gamete producing cells and cells with which regenerate into a whole plant.
- 13. (Original) The method of claim 11, wherein the plant cell is monocotyledon or dicotyledon.
- 14. (Withdrawn) A method for identifying a compound affecting the activity or expression of the polynucleotide of claim 1, comprising the steps of:
 - i) contacting a recombinant cell expressing the polynucleotide of claim 1 with a candidate material; and
 - ii) measuring an effect on the activity or expression of the polynucleotide.
- 15. (Withdrawn) The method according to claim 14, wherein the compound enhances the activity or expression of the polynucleotide of claim 1.
- 16. (Withdrawn) An isolated polynucleotide encoding a polypeptide, wherein the polypeptide hybridizes to the nucleic acid sequence of SEQ ID NO: 1 or its complement, under high stringency conditions.